

Revision Date: 07/22/2021

# SAFETY DATA SHEET

#### 1. Identification

Product identifier: ATTACK ODOUR COUNTERACTANT & AIR FRESHENER

Other means of identification

**SDS number:** RE1000009238

Recommended restrictions

Recommended use: Air Freshener. Restrictions on use: Not known.

Manufacturer/Importer/Distributor Information

Manufacturer

Company Name: SPRAYWAY, INC. Address: 8001 KEELE ST

CONCORD, ONTARIO L4K 1Y8

Telephone: 800-332-9000

Emergency telephone number: 1-866-836-8855

## 2. Hazard(s) identification

# **Hazard Classification**

**Physical Hazards** 

Flammable aerosol Category 1

**Health Hazards** 

Skin sensitizer Category 1

**Environmental Hazards** 

Chronic hazards to the aquatic Category 1

environment

Acute hazards to the aquatic Category 1

environment

# **Label Elements**

# **Hazard Symbol:**



Signal Word: Danger

**Hazard Statement:** Extremely flammable aerosol.

May cause an allergic skin reaction.

Very toxic to aquatic life with long lasting effects.

SDS CA - RE1000009238 1/12



Revision Date: 07/22/2021

# Precautionary Statements

**Prevention:** Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. Do not spray on an open flame or other ignition

source. Do not pierce or burn, even after use. Avoid breathing

dust/fume/gas/mist/vapors/spray. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear

protective gloves.

**Response:** IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get

medical advice/attention. Specific treatment (see on this label). Take off

contaminated clothing and wash it before reuse. Collect spillage.

**Storage:** Protect from sunlight. Do not expose to temperatures exceeding 50

°C/122°F.

**Disposal:** Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Other hazards which do not result in GHS classification:

None.

# 3. Composition/information on ingredients

#### Mixtures

Chemical Identity	Common name and synonyms	CAS number	Content in percent (%)*
Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)-		5989-27-5	15 - 40%
Ethanol		64-17-5	10 - 30%
Butane		106-97-8	10 - 30%
Propane		74-98-6	5 - 10%

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### 4. First-aid measures

Ingestion: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.

**Inhalation:** Move to fresh air.

**Skin Contact:** Destroy or thoroughly clean contaminated shoes. Immediately remove

contaminated clothing and shoes and wash skin with soap and plenty of water. If skin irritation or an allergic skin reaction develops, get medical

attention.

**Eye contact:** Rinse immediately with plenty of water.

Most important symptoms/effects, acute and delayed

**Symptoms:** No data available.

**Hazards:** No data available.

Indication of immediate medical attention and special treatment needed

**Treatment:** No data available.



Revision Date: 07/22/2021

# 5. Fire-fighting measures

General Fire Hazards: Use water spray to keep fire-exposed containers cool. Fight fire from a

protected location. Move containers from fire area if you can do so without

risk.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical:

Vapors may travel considerable distance to a source of ignition and flash

back.

Special protective equipment and precautions for firefighters

**Special fire fighting** 

procedures:

No data available.

Special protective equipment

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind. See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.

Methods and material for containment and cleaning

up:

Absorb spill with vermiculite or other inert material, then place in a container

for chemical waste.

**Notification Procedures:** Prevent entry into waterways, sewer, basements or confined areas. Stop

the flow of material, if this is without risk. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you

can do so without risk.

**Environmental Precautions:** Do not contaminate water sources or sewer. Prevent further leakage or

spillage if safe to do so. Avoid release to the environment.

# 7. Handling and storage

Precautions for safe handling: Wash hands thoroughly after handling. Keep away from heat, hot surfaces,

sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid contact with eyes, skin, and clothing.

Conditions for safe storage,

including any incompatibilities:

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

Aerosol Level 3



Revision Date: 07/22/2021

# 8. Exposure controls/personal protection

# **Control Parameters**

**Occupational Exposure Limits** 

Chemical Identity	Туре	Exposure Limit Values	Source
Ethanol	TWA	1,000 ppm 1,880 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2), as amended (10 2006)
Ethanol	15 MIN ACL	1,250 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended (05 2009)
Ethanol	STEL	1,000 ppm	Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act), as amended (03 2011)
Ethanol	STEL	1,000 ppm	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (11 2010)
Ethanol	STEL	1,000 ppm	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
	8 HR ACL	1,000 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended (05 2009)
Ethanol	TWA	1,000 ppm 1,880 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment), as amended (09 2017)
Ethanol	STEL	1,000 ppm	US. ACGIH Threshold Limit Values, as amended (2009)
Butane	STEL	1,000 ppm	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (08 2017)
Butane	STEL	750 ppm	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (06 2017)
	TWA	600 ppm	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (06 2017)
Butane	TWA	800 ppm 1,900 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment), as amended (12 2008)
Butane	TWA	1,000 ppm	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2), as amended (07 2009)
Butane	8 HR ACL	1,000 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended (05 2009)
Butane	STEL	1,000 ppm	Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act), as amended (03 2018)
	15 MIN ACL	1,250 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended (05 2009)
Butane	STEL	1,000 ppm	US. ACGIH Threshold Limit Values, as amended (03 2018)
Propane	TWA	1,000 ppm	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2), as amended (07 2009)
Propane	8 HR ACL	1,000 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended (05 2009)
Propane	TWA	1,000 ppm 1,800 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment), as amended (12 2008)
Propane	TWA	1,000 ppm	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
	15 MIN ACL	1,250 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended (05 2009)
1,2-Benzenedicarboxylic acid, 1,2-diethyl ester	TWA	5 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2), as amended (10 2006)
1,2-Benzenedicarboxylic acid, 1,2-diethyl ester	8 HR ACL	5 mg/m3	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended (05 2009)
1,2-Benzenedicarboxylic acid, 1,2-diethyl ester	TWA	5 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
1,2-Benzenedicarboxylic acid, 1,2-diethyl ester	TWA	5 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (12 2007)
	15 MIN ACL	10 mg/m3	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended (05 2009)
1,2-Benzenedicarboxylic acid, 1,2-diethyl ester	TWA	5 mg/m3	Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act), as amended (03 2011)



Revision Date: 07/22/2021

1,2-Benzenedicarboxylic acid, 1,2-diethyl ester	TWA		5 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment), as amended (09 2017)
1,2-Benzenedicarboxylic acid, 1,2-diethyl ester	TWA		5 mg/m3	US. ACGIH Threshold Limit Values, as amended (2008)
2-Propanol, 2-methyl-	TWA	100 ppm	303 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2), as amended (10 2006)
2-Propanol, 2-methyl-	TWA	100 ppm		Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
2-Propanol, 2-methyl-	8 HR ACL	100 ppm		Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended (05 2009)
	15 MIN ACL	125 ppm		Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended (05 2009)
2-Propanol, 2-methyl-	TWA	100 ppm		Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act), as amended (03 2011)
2-Propanol, 2-methyl-	TWA	100 ppm		Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (11 2010)
2-Propanol, 2-methyl-	TWA	100 ppm	303 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment), as amended (09 2017)
2-Propanol, 2-methyl-	TWA	100 ppm		US. ACGIH Threshold Limit Values, as amended (2008)

Appropriate Engineering Controls

No data available.

#### Individual protection measures, such as personal protective equipment

**General information:** Use personal protective equipment as required. Personal protection

equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

**Eye/face protection:** Wear goggles/face shield.

**Skin Protection** 

Hand Protection: No data available.

Other: Wear chemical-resistant gloves, footwear, and protective clothing

appropriate for the risk of exposure. Contact health and safety professional

or manufacturer for specific information.

**Respiratory Protection:** In case of inadequate ventilation use suitable respirator. Seek advice from

local supervisor.

**Hygiene measures:** When using do not smoke. Observe good industrial hygiene practices.

Contaminated work clothing should not be allowed out of the workplace.

Avoid contact with skin.

# 9. Physical and chemical properties

**Appearance** 

Physical state: liquid

Form: Spray Aerosol Color: No data available. Odor: No data available. Odor threshold: No data available. pH: No data available. Melting point/freezing point: No data available. Initial boiling point and boiling range: No data available. Flash Point: Estimated -104 °C No data available. **Evaporation rate:** 



Revision Date: 07/22/2021

Flammability (solid, gas): No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%): Estimated 9.5 %(V)
Flammability limit - lower (%): Estimated 1.9 %(V)
Explosive limit - upper (%): No data available.

Explosive limit - lower (%): No data available.

**Vapor pressure:** 2,137 - 3,516 hPa (20 °C)

5,308 - 6,687 hPa (54 °C)

Vapor density:No data available.Density:No data available.Relative density:No data available.

Solubility(ies)

Solubility in water:
Solubility (other):
No data available.
Partition coefficient (n-octanol/water):
No data available.
No data available.
No data available.
Decomposition temperature:
No data available.
Viscosity:
No data available.

# 10. Stability and reactivity

**Reactivity:** No data available.

**Chemical Stability:** Material is stable under normal conditions.

Possibility of hazardous

reactions:

No data available.

**Conditions to avoid:** Avoid heat or contamination.

**Incompatible Materials:** No data available.

**Hazardous Decomposition** 

Products:

No data available.

# 11. Toxicological information

# Information on likely routes of exposure

**Inhalation:** No data available.

**Skin Contact:** No data available.

**Eye contact:** No data available.

**Ingestion:** No data available.

#### Symptoms related to the physical, chemical and toxicological characteristics

**Inhalation:** No data available.

**Skin Contact:** No data available.

Eye contact: No data available.



Revision Date: 07/22/2021

Ingestion: No data available.

# Information on toxicological effects

## Acute toxicity (list all possible routes of exposure)

Oral

**Product:** ATEmix: 4,707.3 mg/kg

Dermal

**Product:** Not classified for acute toxicity based on available data.

Specified substance(s):

Cyclohexene, 1-methyl-4-

LD 50: > 5,000 mg/kg

(1-methylethenyl)-, (4R)-

Propane LD 50: > 5,000 mg/kg

Inhalation

Product: Not classified for acute toxicity based on available data.

Specified substance(s):

Cyclohexene, 1-methyl-4-LC 50: > 100 mg/l (1-methylethenyl)-, (4R)-LC 50: > 100 mg/l

Ethanol LC 50 (Rat): 124.7 mg/l

LC 50: > 100 mg/l

Butane LC 50: > 100 mg/l

LC 50: > 100 mg/l

LC 50: > 100 mg/l Propane

LC 50: > 100 mg/l

Repeated dose toxicity

Product: No data available.

Specified substance(s):

Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)-

NOAEL (Rat(Male), Oral, 13 Weeks): 600 mg/kg Oral Experimental result,

Key study

Ethanol

NOAEL (Rat(Male), Oral, 7 - 14 Weeks): 10 %(m) Oral Experimental result,

Key study

**Butane** 

LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation

Experimental result, Key study

NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation

Experimental result, Key study

NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation Propane

Experimental result, Key study

LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation

Experimental result, Key study

Skin Corrosion/Irritation

**Product:** No data available.

Specified substance(s):

Cyclohexene, 1-methylin vivo (Rabbit): Not irritant Experimental result, Key study

4-(1-methylethenyl)-,

(4R)-

Ethanol in vivo (Rabbit): Not irritant Experimental result, Key study

7/12 SDS CA - RE1000009238



Revision Date: 07/22/2021

Serious Eye Damage/Eye Irritation

**Product:** No data available.

Specified substance(s):

Cyclohexene, 1-methyl- Rabbit, 24 - 72 hrs: Not irritating

4-(1-methylethenyl)-,

(4R)-Ethanol

Rabbit, 1 - 24 hrs: Not irritating

Respiratory or Skin Sensitization

**Product:** No data available.

Specified substance(s):

Ethanol Skin sensitization:, in vivo (Guinea pig): Non sensitising

Carcinogenicity

**Product:** No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

**US. National Toxicology Program (NTP) Report on Carcinogens:** 

No carcinogenic components identified

**ACGIH Carcinogen List:** 

No carcinogenic components identified

**Germ Cell Mutagenicity** 

In vitro

**Product:** No data available.

In vivo

**Product:** No data available.

Reproductive toxicity

**Product:** No data available.

Specific Target Organ Toxicity - Single Exposure
Product:

No data available.

**Specific Target Organ Toxicity - Repeated Exposure** 

**Product:** No data available.

**Aspiration Hazard** 

Product: No data available.

Other effects: No data available.

# 12. Ecological information

#### **Ecotoxicity:**

#### Acute hazards to the aquatic environment:

Fish

**Product:** No data available.

Specified substance(s):

Cyclohexene, 1-methyl-4- EC 50 (Pimephales promelas, 96 h): 688 µg/l Experimental result, Key study (1-methylethenyl)-, (4R)-

SDS CA - RE1000009238 8/12



Revision Date: 07/22/2021

Ethanol LC 50 (Pimephales promelas, 96 h): 15.3 g/l Experimental result, Key study

Butane LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study

Propane LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study

**Aquatic Invertebrates** 

Product: No data available.

Specified substance(s):

Cyclohexene, 1-methyl-4-EC 50 (Daphnia magna, 48 h): 0.36 mg/l Experimental result, Key study (1-methylethenyl)-, (4R)-NOAEL (Daphnia magna, 48 h): 0.074 mg/l Experimental result, Key study

LC 50 (Ceriodaphnia dubia, 48 h): 5,012 mg/l Experimental result, Key study Ethanol

Butane LC 50 (Daphnia sp., 48 h): 69.43 mg/l QSAR QSAR, Key study

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

Ethanol NOAEL (Oryzias latipes): 7,900 mg/l Read-across from supporting

substance (structural analogue or surrogate), Supporting study

**Aquatic Invertebrates** 

**Product:** No data available.

Specified substance(s):

Cyclohexene, 1-methyl-4-NOAEL (Freshwater invertebrates, species frequently include Daphnia (1-methylethenyl)-, (4R)-

magna or Daphnia pulex): 0.115 mg/l QSAR QSAR, Weight of Evidence

study

Ethanol LC 50 (Daphnia magna): 454 mg/l Experimental result, Key study

NOAEL (Daphnia magna): 9.6 mg/l Experimental result, Key study

**Toxicity to Aquatic Plants** 

Product: No data available.

Persistence and Degradability

Biodegradation

**Product:** No data available.

Specified substance(s):

Cyclohexene, 1-methyl-4-80 % (28 d) Detected in water. Read-across from supporting substance

(1-methylethenyl)-, (4R)-(structural analogue or surrogate), Key study

Ethanol 95 % Detected in water. Experimental result, Key study

Butane 100 % (385.5 h) Detected in water. Experimental result, Key study

100 % (385.5 h) Detected in water. Experimental result, Key study Propane

50 % (3.19 d) Detected in water. QSAR, Weight of Evidence study

**BOD/COD Ratio** 

**Product:** No data available.

Bioaccumulative potential

**Bioconcentration Factor (BCF)** 

**Product:** No data available.

SDS CA - RE1000009238 9/12



Revision Date: 07/22/2021

Specified substance(s):

Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)- Bioconcentration Factor (BCF): 864.8 Aquatic sediment QSAR, Key study

Ethanol

Cyprinus carpio, Bioconcentration Factor (BCF): 4.5 Aquatic sediment Read-

across from supporting substance (structural analogue or surrogate),

Supporting study

Partition Coefficient n-octanol / water (log Kow)

**Product:** No data available.

Specified substance(s):

Cyclohexene, 1-methyl-4-

Log Kow: 4.34 - 4.46 25 °C No Experimental result, Supporting study

(1-methylethenyl)-, (4R)-

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)Ethanol
Butane
Propane

No data available.

Other adverse effects: Very toxic to aquatic life with long lasting effects.

13. Disposal considerations

**Disposal instructions:** Discharge, treatment, or disposal may be subject to national, state, or local

laws. Do not allow to enter drains, sewers or watercourses.

Contaminated Packaging: No data available.

14. Transport information

**TDG** 

UN Number: UN 1950

UN Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es)

Class: 2.1 Label(s): –

EmS No.:

Packing Group: -

Environmental Hazards: Yes

Special precautions for user: Not regulated.

**IMDG** 

UN Number: UN 1950

UN Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es)

Class: 2.1 Label(s): -

EmS No.: F-D, S-U

Packing Group: -

Environmental Hazards: Yes

Special precautions for user: Not regulated.

SDS CA - RE1000009238 10/12



Revision Date: 07/22/2021

**IATA** 

UN Number: UN 1950

Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es):

Class: 2.1
Label(s): Packing Group: Environmental Hazards: Yes

Special precautions for user: Not regulated. Cargo aircraft only: Allowed.

# 15. Regulatory information

# **Canada Federal Regulations**

List of Toxic Substances (CEPA, Schedule 1)

#### **Chemical Identity**

Terpenes and Terpenoids, sweet orange-oil

# Export Control List (CEPA 1999, Schedule 3)

#### **Chemical Identity**

Terpenes and Terpenoids, sweet orange-oil

#### National Pollutant Release Inventory (NPRI)

# Canada. National Pollutant Release Inventory (NPRI) Substances, Part 5, VOCs with Additional Reporting Requirements

NPRI PT5 Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)-

Ethanol Butane Propane

Terpenes and Terpenoids, sweet orange-oil

#### Canada. National Pollutant Release Inventory (NPRI) (Schedule 1, Parts 1-4)

NPRI Terpenes and Terpenoids, sweet orange-oil

#### **Greenhouse Gases**

# **Chemical Identity**

Terpenes and Terpenoids, sweet orange-oil

# **Controlled Drugs and Substances Act**

CA CDSI
Terpenes and Terpenoids, sweet orange-oil

#### **Precursor Control Regulations**

#### **Chemical Identity**

Terpenes and Terpenoids, sweet orange-oil

# International regulations

#### Montreal protocol

Terpenes and Terpenoids, sweet orange-oil



Revision Date: 07/22/2021

#### Stockholm convention

Terpenes and Terpenoids, sweet orange-oil

#### **Rotterdam convention**

Terpenes and Terpenoids, sweet orange-oil UVCBs-biological

**Kyoto protocol** 

**Inventory Status:** 

Australia AICS: On or in compliance with the inventory

Canada DSL Inventory List:

On or in compliance with the inventory

Canada NDSL Inventory: Not in compliance with the inventory.

Ontario Inventory: On or in compliance with the inventory

China Inv. Existing Chemical Substances:

On or in compliance with the inventory

Japan (ENCS) List: Not in compliance with the inventory.

Japan ISHL Listing: Not in compliance with the inventory.

Japan Pharmacopoeia Listing: Not in compliance with the inventory.

Korea Existing Chemicals Inv. (KECI): On or in compliance with the inventory

Mexico INSQ: Not in compliance with the inventory.

New Zealand Inventory of Chemicals:

On or in compliance with the inventory

Philippines PICCS: On or in compliance with the inventory

Taiwan Chemical Substance Inventory:

On or in compliance with the inventory

US TSCA Inventory:

On or in compliance with the inventory

EINECS, ELINCS or NLP: Not in compliance with the inventory.

# 16.Other information, including date of preparation or last revision

**Issue Date:** 07/22/2021

**Revision Date:** No data available.

Version #: 1.0

Further Information: No data available.

**Disclaimer:** This information is provided without warranty. The information is believed to

be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.

SDS CA - RE1000009238 12/12